

无缝直管标准包装

表 1 为 TMP 系列无缝直管标准包装对照表。

表 2 为 TBA 系列无缝直管标准包装对照表。

表 3 为 TEP 系列无缝直管标准包装对照表。

表 4 为 T15A、T20D、T20M、T60H 系列无缝直管 (英制) 标准包装对照表。

表 1

外径 in	壁厚 in	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)	外径 in	壁厚 in	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)
1/16	0.02	300	6000	3000	3/4	0.095	6	120	78
1/8	0.028	140	2660	1540	3/4	0.109	5	110	80
1/8	0.035	120	2280	1440	7/8	0.049	5	100	50
3/16	0.035	50	1500	500	1	0.065	4	80	40
1/4	0.035	40	800	400	1	0.083	4	80	40
1/4	0.049	35	805	385	1	0.095	4	80	40
1/4	0.065	30	660	390	1	0.109	4	76	40
5/16	0.035	30	600	300	1	0.12	4	76	40
3/8	0.035	25	500	250	1 1/4	0.083	2	60	30
3/8	0.049	22	484	242	1 1/4	0.095	2	60	30
3/8	0.065	18	396	252	1 1/4	0.109	2	58	30
1/2	0.035	17	340	170	1 1/4	0.12	2	54	30
1/2	0.049	17	340	170	1 1/4	0.134	2	48	30
1/2	0.065	13	260	169	1 1/4	0.156	2	42	30
1/2	0.083	11	220	165	1 1/2	0.095	1	40	20
5/8	0.049	11	220	110	1 1/2	0.109	1	40	20
5/8	0.065	10	200	120	1 1/2	0.12	1	40	20
3/4	0.049	8	160	80	1 1/2	0.134	1	40	20
3/4	0.065	8	160	80	1 1/2	0.156	1	35	20
3/4	0.083	7	140	77	1 1/2	0.188	1	30	20

外径 mm	壁厚 mm	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)	外径 mm	壁厚 mm	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)
2	0.5	200	①	2000	16	2	8	184	96
3	0.5	150	3000	1500	16	2.5	7	154	98
3	0.8	135	2970	1485	16	3	7	133	98
6	1	40	800	400	18	1	8	160	80
6	1.5	35	770	350	18	1.5	8	160	80
8	1	30	600	300	18	2	8	160	80
8	1.5	25	500	300	18	2.5	6	132	78
8	2	20	440	300	18	3	5	110	80
10	1	25	500	250	18	4	5	90	80
10	1.5	19	399	247	18	5	4	80	72
10	2	15	315	240	20	1.5	8	160	80
10	2.5	13	273	234	20	2	7	140	77
12	1	17	340	170	20	2.5	5	110	80
12	1.5	15	330	165	22	2	5	100	50
12	2	12	264	168	22	2.5	5	100	50
14	1	14	280	140	22	3	4	88	48
14	1.5	12	276	132	25	2	4	80	40
14	2	10	220	140	25	2.5	4	80	40
14	2.5	8	184	136	28	2.5	4	76	40
14	3	8	160	136	30	3	3	60	30
15	1	12	240	120	32	3.5	2	40	20
16	1	10	230	100	38	4	1	35	20
16	1.5	10	230	100					

① 可提供大木箱装箱，详询 FITOK。

表 2

外径 in.	壁厚 in.	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)	外径 in.	壁厚 in.	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)
1/8	0.028	140	2660	1540	7/8	0.049	5	100	50
1/4	0.035	40	800	400	1	0.065	4	80	40
1/4	0.049	35	805	385	1	0.083	4	80	40
1/4	0.065	30	660	390	1	0.095	4	80	40
5/16	0.035	30	600	300	1	0.109	4	76	40
3/8	0.035	25	500	250	1	0.12	4	76	40
3/8	0.049	22	484	242	1 1/4	0.083	2	60	30
3/8	0.065	18	396	252	1 1/4	0.095	2	60	30
1/2	0.035	17	340	170	1 1/4	0.109	2	58	30
1/2	0.049	17	340	170	1 1/4	0.12	2	54	30
1/2	0.065	13	260	169	1 1/4	0.134	2	48	30
1/2	0.083	11	220	165	1 1/4	0.156	2	42	30
5/8	0.049	10	200	100	1 1/2	0.095	1	40	20
5/8	0.065	10	200	120	1 1/2	0.109	1	40	20
3/4	0.049	8	160	80	1 1/2	0.12	1	40	20
3/4	0.065	8	160	80	1 1/2	0.134	1	40	20
3/4	0.083	7	140	77	1 1/2	0.156	1	35	20
3/4	0.095	6	120	78	1 1/2	0.188	1	30	20
3/4	0.109	5	110	80					

外径 mm	壁厚 mm	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)	外径 mm	壁厚 mm	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)
8	1	30	600	300	16	3	7	133	98
8	1.5	25	500	300	18	1	8	160	80
8	2	20	440	300	18	1.5	8	160	80
10	1	25	500	250	18	2	8	160	80
10	1.5	19	399	247	18	2.5	6	132	78
10	2	15	315	240	18	3	5	110	80
10	2.5	13	273	234	18	4	5	90	80
12	1	17	340	170	18	5	4	80	72
12	1.5	15	330	165	20	1.5	8	160	80
12	2	12	264	168	20	2	7	140	77
14	1	14	280	140	20	2.5	5	110	80
14	1.5	12	276	132	22	2	5	100	50
14	2	10	220	140	22	2.5	5	100	50
14	2.5	8	184	136	22	3	4	88	48
14	3	8	160	136	25	2	4	80	40
15	1	12	240	120	25	2.5	4	80	40
16	1	10	230	100	28	2.5	4	76	40
16	1.5	10	230	100	30	3	3	60	30
16	2	8	184	96	32	3.5	2	40	20
16	2.5	7	154	98	38	4	1	35	20

详情咨询 FITOK。

表 3

外径 in.	壁厚 in.	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)	外径 in.	壁厚 in.	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)
1/8	0.028	98	1862	1078	7/8	0.049	3	70	35
1/4	0.035	28	560	280	1	0.065	2	56	28
1/4	0.049	24	563	269	1	0.083	2	56	28
1/4	0.065	21	462	273	1	0.095	2	56	28
5/16	0.035	21	420	210	1	0.109	2	53	28
3/8	0.035	17	350	175	1	0.12	2	53	28
3/8	0.049	15	338	169	1 1/4	0.083	1	42	21
3/8	0.065	12	277	176	1 1/4	0.095	1	42	21
1/2	0.035	11	238	119	1 1/4	0.109	1	40	21
1/2	0.049	11	238	119	1 1/4	0.12	1	37	21
1/2	0.065	9	182	118	1 1/4	0.134	1	33	21
1/2	0.083	7	154	115	1 1/4	0.156	1	29	21
5/8	0.049	7	140	70	1 1/2	0.095	1	28	14
5/8	0.065	7	140	84	1 1/2	0.109	1	28	14
3/4	0.049	5	112	56	1 1/2	0.12	1	28	14
3/4	0.065	5	112	56	1 1/2	0.134	1	28	14
3/4	0.083	4	98	53	1 1/2	0.156	1	24	14
3/4	0.095	4	84	54	1 1/2	0.188	1	21	14
3/4	0.109	3	77	56					

外径 mm	壁厚 mm	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)	外径 mm	壁厚 mm	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)
8	1	21	420	210	16	3	4	93	68
8	1.5	17	350	210	18	1	5	112	56
8	2	14	308	210	18	1.5	5	112	56
10	1	17	350	175	18	2	5	112	56
10	1.5	13	279	172	18	2.5	4	92	54
10	2	10	220	168	18	3	3	77	56
10	2.5	9	191	163	18	4	3	63	56
12	1	11	238	119	18	5	2	56	50
12	1.5	10	231	115	20	1.5	5	112	56
12	2	8	184	117	20	2	4	98	53
14	1	9	196	98	20	2.5	3	77	56
14	1.5	8	193	92	22	2	3	70	35
14	2	7	154	98	22	2.5	3	70	35
14	2.5	5	128	95	22	3	2	61	33
14	3	5	112	95	25	2	2	56	28
15	1	8	168	84	25	2.5	2	56	28
16	1	7	161	70	28	2.5	2	53	28
16	1.5	7	161	70	30	3	2	42	21
16	2	5	128	67	32	3.5	1	28	14
16	2.5	4	107	68	38	4	1	24	14

详情咨询 FITOK。

表 4

型号	外径 in.	壁厚 in.	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)	型号	外径 in.	壁厚 in.	PCS/纸筒	PCS/木箱 (大)	PCS/木箱 (小)
T15A-2-037	1/8	0.037	110	2530	1540	T20M-9	9/16	0.125	7	154	126
T15A-4-083	1/4	0.083	25	600	400	T20M-12	3/4	0.156	4	88	80
T15A-4-065	1/4	0.065	30	690	390	T20M-16	1	0.219	2	48	40
T15A-6-118	3/8	0.118	12	264	240	T20M-24	1 1/2	0.282	1	24	20
T15A-6-095	3/8	0.095	14	308	252	T20M-4-S	1/4	0.071	30	660	390
T15A-8-156	1/2	0.156	7	154	154	T20M-6-S	3/8	0.086	14	336	252
T15A-8-134	1/2	0.134	7	168	168	T20M-9-S	9/16	0.125	7	154	126
T15A-12-240	3/4	0.24	3	66	66	T20M-12-S	3/4	0.156	4	88	80
T15A-12-188	3/4	0.188	3	78	72	T20M-16-S	1	0.219	2	48	40
T20D-4-065	1/4	0.065	30	660	390	T20M-24-S	1 1/2	0.282	1	24	20
T20D-6-083	3/8	0.083	14	336	252	T60H-4	1/4	0.083	25	600	400
T20D-8-109	1/2	0.109	8	192	160	T60H-6	3/8	0.125	12	264	240
T20D-12-165	3/4	0.165	4	88	80	T60H-9	9/16	0.188	5	115	110
T20D-16-172	1	0.172	2	48	40	T60H-4-S	1/4	0.083	25	600	400
T20M-4	1/4	0.071	30	660	390	T60H-6-S	3/8	0.125	12	264	240
T20M-6	3/8	0.086	14	336	252	T60H-9-S	9/16	0.188	5	115	110

详情咨询 FITOK。